

# zeroOrMore ##

## Table of contents

1 0#####	2
2 ##	2
2.1 lang:occurs ##	2
2.2 lang:occured ##	2
3 ##	2
4 #####	2
5 #####	2
5.1 ## 1: ##### zeroOrMore##	2
5.2 ## 2: #####	3
6 #####	3

**1. 0#####**

- #####(0##)#####
- XML #####
- attribute## ##### (optional##  
#####)
- attribute## #####
- grammar #####
- ##### externalRef  
#####
- #####

**2. ##**

**2.1. lang:occurs ##**

#### lang #####

- decode : #####
- encode : #####(*encode #####*)#

**2.2. lang:occured ##**

#### lang #####zeroOrMore #####

- decode : #####
- encode : #####

**3. ##**

- optional#oneOrMore#zeroOrMore #####32####
- ref #####define/ref #####
- lang:occurs ####lang:occured #####
- lang:occurs ### 0 #####

**4. #####**

- ### ##### interleave##, optional##,  
zeroOrMore## #####

**5. #####**

**5.1. ## 1: ##### zeroOrMore##**

## zeroOrMore ##

#### zeroOrMore## ##### zeroOrMore## #####

### #1

```
<zeroOrMore>  
  <ref name="a" />  
</zeroOrMore>  
<zeroOrMore>  
  <ref name="b" />  
</zeroOrMore>
```

### #2

```
<zeroOrMore>  
  <ref name="a" />  
  <ref name="b" />  
</zeroOrMore>
```

#1####a#1#####b#0#####

(aa...bb...)#####2####a#b#####0##### (abab...)#####

## 5.2. ## 2: #####

- choice##,interleave## #####
- zeroOrMore## #####choice##,interleave##  
#####

## 6. #####

- James Clark and Makoto Murata, ISO/IEC FDIS 19757-2 Document Schema Definition Language (DSDL) -- Part 2: Regular-grammar-based validation -- RELAX NG
- ## #, #zeroOrMore## @ ##### RELAX NG ###